



TP-Link Omada EAP660 HD punto de acceso inalámbrico 2402 Mbit/s Blanco Energía sobre Ethernet (PoE)

Marca : TP-Link

Familia de productos: Omada **Código del producto:** EAP660 HD

Nombre del producto :
EAP660 HD

TP-Link Omada EAP660 HD. 2,4 GHz, 5 GHz, Rango máximo de transferencia de datos: 2402 Mbit/s. Algoritmos de seguridad soportados: WPA-Enterprise, WPA-PSK, WPA2-Enterprise, WPA2-PSK, WPA3-Enterprise, WPA3-PSK. Ethernet LAN, velocidad de transferencia de datos: 25000 Mbit/s. Energía sobre Ethernet (PoE). Color del producto: Blanco



Características		Seguridad	
2,4 GHz *	✓	Servicio de autenticación remota de llamadas de usuarios (RADIUS)	✓
5 GHz *	✓	Características de administración	
6 GHz *	✗	Administración basada en web	✓
Rango máximo de transferencia de datos *	2402 Mbit/s	Syslog	✓
Velocidad máxima de transferencia de datos (2,4 GHz)	1148 Mbit/s	Puertos e Interfaces	
Velocidad máxima de transferencia de datos (5 GHz)	2402 Mbit/s	Ethernet LAN (RJ-45) cantidad de puertos *	1
Ethernet LAN, velocidad de transferencia de datos	25000 Mbit/s	Enchufe de entrada de CC	✓
Frecuencia de banda	2.4 - 5 GHz	Control de energía	
Estándares de red	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n	Energía sobre Ethernet (PoE) *	✓
Selección automática de canal	✓	Voltaje de salida	12 V
Escáner automático de canales	✓	Corriente de salida	2 A
MIMO	✓	Diseño	
Tipo MIMO	Multi User MIMO	Ubicación *	Techo
Wi-Fi Multimedia (WMM)/(WME)	✓	Color del producto *	Blanco
Wifi en itinerancia	✓	Antena	
Soporte VLAN	✓	Tipo de antena *	Interno
Limitar tasa	✓	Peso y dimensiones	
Aislamiento inalámbrico	✓	Ancho	243 mm
Equidad de conexión (ATF)	✓	Profundidad	243 mm
Calidad de servicio (QoS) soporte	✓	Altura	64 mm
		Contenido del embalaje	
		Kit de montaje	✓

Seguridad		Condiciones ambientales	
Algoritmos de seguridad soportados*	WPA-Enterprise, WPA-PSK, WPA2-Enterprise, WPA2-PSK, WPA3-Enterprise, WPA3-PSK	Intervalo de humedad relativa para funcionamiento	10 - 90%
MAC, filtro de direcciones	✓	Intervalo de temperatura operativa	0 - 40 °C
Características de identificador de conjunto de servicios (SSID, Service Set Identifier)	Multiple SSIDs	Intervalo de temperatura de almacenaje	-40 - 70 °C
		Intervalo de humedad relativa durante almacenaje	5 - 90%
Datos logísticos			
		Código de Sistema de Armomización (SA)	85176990



6935364089719




6935364053451



0845973089719



845973089719



9353640897198




4895252506167



0840030711664



840030711664



4895252506174

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.