



CDP R-SMART751 750VA/375W UPS Interactiva AVR 10 Salidas, 560 Joules, Proteccion RJ45, LCD, software 120 Vac

Marca : CDP

Código del producto: R-SMART751

Nombre del producto : R-SMART751 750VA/375W UPS Interactiva AVR 10 Salidas, 560 Joules, Proteccion RJ45, LCD, software 120 Vac

R-SMART751 750VA/375W UPS Interactiva AVR 10 Salidas, 560 Joules, Proteccion RJ45, LCD, software 120 Vac

CDP R-SMART751 750VA/375W UPS Interactiva AVR 10 Salidas, 560 Joules, Proteccion RJ45, LCD, software 120 Vac. Topología UPS: Línea interactiva, Capacidad de potencia de salida (VA): 0,75 kVA, Potencia de salida: 375 W. Tipo de salida AC: NEMA 5-15R, Cantidad de salidas AC: 10 salidas AC. Tecnología de batería: Plomo-ácido, Capacidad de la batería: 7 Ah, Voltaje de la pila: 12 V. Factor de forma: Torre, Color del producto: Negro, Longitud de cable: 1,2 m. Ancho: 167 mm, Profundidad: 283 mm, Altura: 287 mm



Características		Batería	
Topología UPS *	Línea interactiva	Numero de baterías soportadas	1
Capacidad de potencia de salida (VA) *	0,75 kVA	Tiempo típico de respaldo a carga completa	4 min
Potencia de salida *	375 W	Tiempo típico de respaldo a media carga	8 min
Forma de onda *	Seno	Tiempo de recarga de la batería	4 h
Voltaje de entrada de operación (min) *	85 V	Diseño	
Voltaje de entrada de operación (max) *	145 V	Factor de forma *	Torre
Frecuencia de entrada *	50/60 Hz	Longitud de cable	1,2 m
Voltaje de operación de salida (min)	108 V	Color del producto *	Negro
Voltaje de operación de salida (max)	132 V	Tipo de visualizador	LCD
Regulación automática de voltaje (AVR)	✓	Indicadores LED	✓
Índice de aumento de energía	560 J	Condiciones ambientales	
Número de fases de entrada	1	Intervalo de temperatura operativa	0 - 40 °C
Número de fases de salida	1	Intervalo de humedad relativa para funcionamiento	0 - 95%
Factor de poder	0,6	Contenido del embalaje	
Factor de cima	3:1	Manual de usuario	✓
Corriente de entrada Distorsión Armónica Total (THD)	3%	Peso y dimensiones	
Protección de sobrecarga	✓	Ancho	167 mm
Funciones de protección de poder	Cortocircuito	Profundidad	283 mm
Alarma(s) audibles	✓	Altura	287 mm
Puertos e Interfaces		Peso	5,33 kg
Tipo de salida AC	NEMA 5-15R	Empaquetado	
Cantidad de salidas AC	10 salidas AC	Peso del paquete	6,03 kg
Puerto USB	✓	Datos logísticos	
Ethernet LAN (RJ-45) cantidad de puertos	2	Longitud del palé	115 cm
Batería		Anchura del palé	115 cm
Tecnología de batería	Plomo-ácido	Altura del palé	2,01 m
		Peso del palé	885,8 kg

Batería		Datos logísticos	
Capacidad de la batería	7 Ah	Peso neto de caja	16 kg
Voltaje de la pila	12 V	Ancho de la caja principal	297 mm
		Longitud de la caja	522 mm
		Alto de la caja principal	310 mm
		Peso del envase completo	18,1 kg
		Cantidad por caja	3 pieza(s)



0879071000376



879071000376

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.