

CyberPower OLS3000A sistema de alimentación ininterrumpida (UPS) Línea interactiva 3 kVA 2700 W 4 salidas AC

Marca : CyberPower

Código del producto: OLS3000A

Nombre del producto : OLS3000A

CyberPower OLS3000A. Topología UPS: Línea interactiva, Capacidad de potencia de salida (VA): 3 kVA, Potencia de salida: 2700 W. Tipo de salida AC: NEMA 5-20R, Cantidad de salidas AC: 4 salidas AC. Tecnología de batería: Sealed Lead Acid (VRLA), Voltaje de la pila: 72 V, Tiempo típico de respaldo a carga completa: 1,5 min. Color del producto: Negro, Longitud de cable: 1,5 m, Tipo de enfriamiento: Activo. Ancho: 196 mm, Profundidad: 416 mm, Altura: 342 mm



Características		Puertos e Interfaces	
Topología UPS *	Línea interactiva	Tipo de salida AC	NEMA 5-20R
Capacidad de potencia de salida (VA) *	3 kVA	Cantidad de salidas AC	4 salidas AC
Potencia de salida *	2700 W	Puerto USB	✓
Forma de onda *	Onda sinusoidal pura	Batería	
Voltaje de entrada de operación (min) *	90 V	Tecnología de batería	Sealed Lead Acid (VRLA)
Voltaje de entrada de operación (max) *	150 V	Voltaje de la pila	72 V
Frecuencia de entrada *	50/60 Hz	Tiempo típico de respaldo a carga completa	1,5 min
Voltaje de operación de salida (min)	100 V	Tiempo típico de respaldo a media carga	44 min
Voltaje de operación de salida (max)	127 V	Corriente de carga	1 A
Frecuencia de salida	50 Hz	Diseño	
Regulación de la frecuencia de salida	60 Hz	Longitud de cable	1,5 m
Regulación del voltaje de salida	1%	Tipo de enfriamiento	Activo
Índice de aumento de energía	862 J	Ventilador integrado	✓
Número de fases de entrada	1	Color del producto *	Negro
Número de fases de salida	1	Tipo de visualizador	LCD
Eficiencia (modo ECO)	96%	Condiciones ambientales	
Factor de poder	0,9	Intervalo de temperatura operativa	0 - 40 °C
Factor de cima	3:1	Intervalo de temperatura de almacenaje	-20 - 50 °C
Modo ECO	✓	Intervalo de humedad relativa para funcionamiento	10 - 90%
Apagado de emergencia	✓	Altitud de funcionamiento	0 - 1500 m
Filtro de ruido EMI/RFI	✓	Altitud no operativa	0 - 1500 m
Protección de sobrecarga	✓	Peso y dimensiones	
Alarma(s) audibles	✓	Ancho	196 mm
		Profundidad	416 mm

Características		Peso y dimensiones	
Modos de alarma audibles	Suena una alarma cuando cambia a la batería, Alarma de batería baja, Alarma de sobrecarga	Altura Peso	342 mm 21,3 kg



0649532616442



649532616442

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.