



## Dahua Technology MAX18-3 Doble banda (2,4 GHz / 5 GHz) Wi-Fi 6 (802.11ax) Negro Interno

**Marca :** Dahua Technology

**Código del producto:** DH-MAX18-3

**Nombre del producto :** MAX18-3

Dahua Technology MAX18-3. Color del producto: Negro, Tipo de antena: Interno, Tipo de producto: Enrutador de malla. Banda Wi-Fi: Doble banda (2,4 GHz / 5 GHz), Estándar Wi-Fi: Wi-Fi 6 (802.11ax), Tasa de transferencia de datos WLAN (máx.): 1800 Mbit/s. Memoria interna: 256 MB, NAT, funcionalidad: Port-based NAT configuration. Protocolos de network soportado (IPv6): UDP; HTTPS; IPv6; IPv4; TCP/IP; HTTP; NTP; SSL; DHCP. Consumo energético: 12 W, Voltaje de salida de adaptador AC: 12 V



| Diseño                                              |                                                                                      | Puertos e Interfaces                              |             |
|-----------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------|-------------|
| Tipo de producto                                    | Enrutador de malla                                                                   | Ethernet LAN (RJ-45) cantidad de puertos *        | 3           |
| Color del producto *                                | Negro                                                                                | Ethernet WAN                                      | ✓           |
| Indicadores LED                                     | Estado                                                                               | Enchufe de entrada de CC                          | ✓           |
| Tipo de antena *                                    | Interno                                                                              | Control de energía                                |             |
| Cantidad de antenas                                 | 4                                                                                    | Consumo energético                                | 12 W        |
| Tipo de dirección de la antena                      | Omni-direccional                                                                     | Voltaje de salida de adaptador AC                 | 12 V        |
| Número de dispositivos soportados                   | 64                                                                                   | Aprobaciones regulatoras                          |             |
| Potencia de transmisión                             | 4.45 dBmW                                                                            | Certificación                                     | CE RED      |
| Botón de restaurar                                  | ✓                                                                                    | Condiciones ambientales                           |             |
| Características de LAN inalámbrico                  |                                                                                      | Intervalo de temperatura operativa                | -10 - 55 °C |
| Banda Wi-Fi *                                       | Doble banda (2,4 GHz / 5 GHz)                                                        | Intervalo de temperatura de almacenaje            | -40 - 70 °C |
| Estándar Wi-Fi *                                    | Wi-Fi 6 (802.11ax)                                                                   | Intervalo de humedad relativa para funcionamiento | 5 - 95%     |
| Wi-Fi estándares                                    | 802.11a, Wi-Fi 5 (802.11ac), 802.11b, Wi-Fi 6 (802.11ax), 802.11g, Wi-Fi 4 (802.11n) | Peso y dimensiones                                |             |
| Tasa de transferencia de datos WLAN (máx.) *        | 1800 Mbit/s                                                                          | Ancho                                             | 94 mm       |
| Tasa de transferencia de datos WLAN (primera banda) | 574 Mbit/s                                                                           | Profundidad                                       | 94 mm       |
| Tasa de transferencia de datos WLAN (segunda banda) | 1201 Mbit/s                                                                          | Altura                                            | 72 mm       |
| Algoritmos de seguridad soportados                  | SSH, WPA2-PSK, WPA3-PSK                                                              | Peso                                              | 230 g       |
| Protocolo punto a punto sobre Ethernet (PPPoE)      | ✓                                                                                    | Contenido del embalaje                            |             |
| IP estática                                         | ✓                                                                                    | Número de productos incluidos                     | 3 pieza(s)  |
| Soporte VPN                                         | L2TP; L2TP/IPsec VPN                                                                 | Adaptador AC incluido                             | ✓           |
| Características                                     |                                                                                      | Cable Ethernet                                    | ✓           |
| Memoria interna                                     | 256 MB                                                                               | Guía de instalación rápida                        | ✓           |
| NAT, funcionalidad                                  | Port-based NAT configuration                                                         |                                                   |             |

| Características                        |                                                      | Empaquetado             |          |
|----------------------------------------|------------------------------------------------------|-------------------------|----------|
| DHCP, servidor                         | ✓                                                    | Ancho del paquete       | 121,5 mm |
| Protocolos                             |                                                      | Profundidad del paquete | 126,5 mm |
| Protocolos de network soportado (IPv6) | UDP; HTTPS; IPv6; IPv4; TCP/IP; HTTP; NTP; SSL; DHCP | Altura del paquete      | 155,5 mm |
|                                        |                                                      | Peso del paquete        | 480 g    |



6923172582171

### **Catalog Object Cloud**



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.