



## Fujitsu ScanSnap SV600 Escáner de captura aérea 285 x 218 DPI A3 Negro, Blanco


**Marca :** Fujitsu

**Código del producto:** PA03641-B001

**Nombre del producto :** ScanSnap SV600

ScanSnap SV600 - 1x CCD, 2x White LED, USB 2.0, 20W, ±1.5%, 3kg

Fujitsu ScanSnap SV600. Tamaño máximo de escaneado: 432 x 300 mm, Resolución óptica de escáner: 285 x 218 DPI, Modos de color de escaneado Negro / blanco: Escala de grises, Monocromo. Tipo de escaneado: Escáner de captura aérea, Color del producto: Negro, Blanco. Tipo de sensor: CCD, Fuentes de luz: LED blanco (x2). Tamaño máximo de papel ISO A-series: A3, Tipos de media soportados de escaneo: Tarjeta de visita, Post Card(JPN), ISO tamaño de serie A (A0...A9): A3, A4, A5, A6. Interfaz estándar: USB 1.1, USB 2.0



| Exploración                                |                                   | Peso y dimensiones                                                                                                                                                                                                     |             |
|--------------------------------------------|-----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| Tamaño máximo de escaneado *               | 432 x 300 mm                      | Profundidad                                                                                                                                                                                                            | 156 mm      |
| Resolución óptica de escáner *             | 285 x 218 DPI                     | Altura                                                                                                                                                                                                                 | 383 mm      |
| Escáner a color                            | ✓                                 | Peso                                                                                                                                                                                                                   | 3 kg        |
| Escaneado dúplex *                         | ✗                                 | Contenido del embalaje                                                                                                                                                                                                 |             |
| Modos de color de escaneado Negro / blanco | Escala de grises, Monocromo       | Software incluido                                                                                                                                                                                                      |             |
| Diseño                                     |                                   | ScanSnap Manager 6.2 ScanSnap Organizer 5.1 ScanSnap Organizer Preview CardMinder 5.0 ABBYY FineReader for ScanSnap 5.0 Evernote for Windows 4.5 Scan to Microsoft SharePoint 3.4 Rack2-Filer Smart with Magic Desktop |             |
| Tipo de escaneado *                        | Escáner de captura aérea          | Sostenibilidad                                                                                                                                                                                                         |             |
| Color del producto *                       | Negro, Blanco                     | Certificados de sostenibilidad                                                                                                                                                                                         | ENERGY STAR |
| Pantalla incorporada *                     | ✗                                 |                                                                                                                                                                                                                        |             |
| Desempeño                                  |                                   |                                                                                                                                                                                                                        |             |
| Tipo de sensor *                           | CCD                               |                                                                                                                                                                                                                        |             |
| Fuentes de luz                             | LED blanco (x2)                   |                                                                                                                                                                                                                        |             |
| Dirección de papel                         |                                   |                                                                                                                                                                                                                        |             |
| Tipos de media soportados de escaneo       | Tarjeta de visita, Post Card(JPN) |                                                                                                                                                                                                                        |             |
| Tamaño máximo de papel ISO A-series *      | A3                                |                                                                                                                                                                                                                        |             |
| ISO tamaño de serie A (A0...A9)            | A3, A4, A5, A6                    |                                                                                                                                                                                                                        |             |
| ISO tamaño de serie B (B0...B9)            | B4, B5, B6                        |                                                                                                                                                                                                                        |             |
| Carta                                      | ✓                                 |                                                                                                                                                                                                                        |             |
| Legal                                      | ✓                                 |                                                                                                                                                                                                                        |             |
| Puertos e Interfaces                       |                                   |                                                                                                                                                                                                                        |             |
| Puerto USB *                               | ✓                                 |                                                                                                                                                                                                                        |             |
| Versión USB                                | 2.0                               |                                                                                                                                                                                                                        |             |
| Interfaz estándar                          | USB 1.1, USB 2.0                  |                                                                                                                                                                                                                        |             |
| Control de energía                         |                                   |                                                                                                                                                                                                                        |             |
| Tipo de fuente de alimentación *           | Corriente alterna                 |                                                                                                                                                                                                                        |             |
| Consumo energético                         | 20 W                              |                                                                                                                                                                                                                        |             |
| Consumo de energía (inactivo)              | 2,6 W                             |                                                                                                                                                                                                                        |             |
| Consumo de energía (apagado)               | 0,4 W                             |                                                                                                                                                                                                                        |             |
| Frecuencia de entrada AC                   | 50 - 60 Hz                        |                                                                                                                                                                                                                        |             |
| Voltaje de entrada                         | 100-240 V                         |                                                                                                                                                                                                                        |             |

| Peso y dimensiones                                |                | Requisitos del sistema              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|---------------------------------------------------|----------------|-------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Ancho                                             | 210 mm         |                                     | Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 Pro, Windows 10 Pro x64, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64 |
|                                                   |                | Sistema operativo Windows soportado |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|                                                   |                | Sistema operativo MAC soportado     | ✓                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Condiciones ambientales                           |                |                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Intervalo de temperatura operativa                | 5 - 35 °C      |                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Intervalo de humedad relativa para funcionamiento | 20 - 80%       |                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Aprobaciones reguladoras                          |                |                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Conformidad con el medio (Eco)                    | ✓              |                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Otras características                             |                |                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Tiempo de escaneo                                 | 3 s            |                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Tamaño mínimo de escaneado                        | 25.4 x 25.4 mm |                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Grosor de medios                                  | 30 mm          |                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Detección automática del modo color               | ✓              |                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Resolución de escaneo óptico vertical (mín.)      | 152 DPI        |                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Resolución de escaneo óptico vertical (máx.)      | 283 DPI        |                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Resolución de escaneo óptico horizontal (máx.)    | 285 DPI        |                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Resolución de escaneo óptico horizontal (mín.)    | 218 DPI        |                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Aumento en escaneo vertical                       | ±1.5%%         |                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Certificados de conformidad                       | RoHS           |                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |



5054230018149

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.