



TP-Link TL-SG1016DE switch Gestionado L2 Gigabit Ethernet (10/100/1000) Negro



Marca : TP-Link

Código del producto: TL-SG1016DE

Nombre del producto : TL-SG1016DE

TP-Link TL-SG1016DE. Tipo de interruptor: Gestionado, Capa del interruptor: L2. Puertos tipo básico de conmutación RJ-45 Ethernet: Gigabit Ethernet (10/100/1000), Cantidad de puertos básicos de conmutación RJ-45 Ethernet: 16. Bidireccional completo (Full duplex). Tabla de direcciones MAC: 8000 entradas, Capacidad de conmutación: 32 Gbit/s. Estándares de red: IEEE 802.1Q, IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x. Montaje en rack

Características de administración

Tipo de interruptor *	Gestionado
Capa del interruptor	L2
Calidad de servicio (QoS) soporte	✓

Puertos e Interfaces

Cantidad de puertos básicos de conmutación RJ-45 Ethernet *	16
Puertos tipo básico de conmutación RJ-45 Ethernet *	Gigabit Ethernet (10/100/1000)

Conexión

Estándares de red *	IEEE 802.1Q, IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x
Soporte 10G *	✗
Espejeo de puertos	✓
Bidireccional completo (Full duplex)	✓
Soporte de control de flujo	✓
Adición de vínculos	✓
Control de transmisión de tormentas	✓
Limitar tasa	✓
Auto MDI / MDI-X	✓
Soporte VLAN	✓
Número de VLANs	32

Transmisión de datos

Capacidad de conmutación *	32 Gbit/s
Rendimiento	23,8 Mpps
Tabla de direcciones MAC *	8000 entradas
Guardar y remitir	✓
Número de colas	4
Jumbo Frames, soporte	✓
Tramas Jumbo	9000
Memoria intermedia de paquetes	0,5 MB

Seguridad

IGMP	✓
------	---

Diseño

Montaje en rack *	✓
Color del producto	Negro
Indicadores LED	✓

Control de energía

Fuente de alimentación incluida *	✓
Voltaje de entrada AC	100 - 240 V
Frecuencia de entrada AC	50 - 60 Hz
Consumo de energía (max)	11,73 W

Alimentación a través de Ethernet (PoE)

Energía sobre Ethernet (PoE) *	✗
--------------------------------	---

Condiciones ambientales

Intervalo de temperatura operativa	0 - 40 °C
Intervalo de temperatura de almacenaje	-40 - 70 °C
Intervalo de humedad relativa para funcionamiento	10 - 90%
Intervalo de humedad relativa durante almacenaje	5 - 90%

Peso y dimensiones

Ancho	294 mm
Profundidad	180 mm
Altura	44 mm

Contenido del embalaje

Cables incluidos	Corriente alterna
Manual de usuario	✓
Estante de montaje	✓


Aprobaciones reguladoras

Certificación	FCC, CE, RoHS
---------------	---------------

Datos logísticos

Código de Sistema de
Armomización (SA)

85176990



1210002616751



0840460603966



840460603966

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.