



TP-Link TL-SF1005P switch No administrado Fast Ethernet (10/100) Energía sobre Ethernet (PoE) Negro

Marca : TP-Link

Código del producto: TL-SF1005P

Nombre del producto : TL-SF1005P



TP-Link TL-SF1005P. Tipo de interruptor: No administrado. Puertos tipo básico de conmutación RJ-45 Ethernet: Fast Ethernet (10/100), Cantidad de puertos básicos de conmutación RJ-45 Ethernet: 5. Bidireccional completo (Full duplex). Tabla de direcciones MAC: 2000 entradas, Capacidad de conmutación: 1 Gbit/s. Estándares de red: IEEE 802.3af, IEEE 802.3x. Energía sobre Ethernet (PoE)



Características de administración

Tipo de interruptor * No administrado

Puertos e Interfaces

Cantidad de puertos básicos de conmutación RJ-45 Ethernet * 5
Puertos tipo básico de conmutación RJ-45 Ethernet * Fast Ethernet (10/100)

Conexión

Estándares de red * IEEE 802.3af, IEEE 802.3x
Soporte 10G * ✗
Tecnología de cableado ethernet de cobre 10BASE-T, 100BASE-TX
Tipos de cable soportados Cat3, Cat4, Cat5, Cat5e
Bidireccional completo (Full duplex) ✓
Soporte de control de flujo ✓
Auto MDI / MDI-X ✓
Auto-negociación ✓
Admite dirección MAC auto-learning ✓
Admite dirección MAC auto-aging ✓

Transmisión de datos

Capacidad de conmutación * 1 Gbit/s
Tabla de direcciones MAC * 2000 entradas
Guardar y remitir ✓

Diseño

Montaje en rack * ✗
Color del producto Negro
Indicadores LED ✓

Control de energía

Fuente de alimentación incluida * ✓
Consumo de energía (max) 63,51 W

Alimentación a través de Ethernet (PoE)

Energía sobre Ethernet (PoE) * ✓
Cantidad de puertos Power over Ethernet (PoE) 4
Potencia a través de Ethernet (PoE) Presupuesto 58 W

Condiciones ambientales

Intervalo de temperatura operativa 0 - 40 °C
Intervalo de temperatura de almacenaje -40 - 70 °C
Intervalo de humedad relativa para funcionamiento 10 - 90%
Intervalo de humedad relativa durante almacenaje 5 - 90%
Disipación del calor 5,73 BTU/h

Peso y dimensiones

Ancho 99,8 mm
Profundidad 98 mm
Altura 25 mm

Contenido del embalaje

Manual de usuario ✓

Empaquetado

Tipo de embalaje Caja


Aprobaciones reguladoras

Certificación FCC, CE, RoHS

Datos logísticos

Código de Sistema de
Armomización (SA)

85176990



1210002616300



1210002616294

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.