



TP-Link LS1005G switch No administrado Gigabit Ethernet (10/100/1000) Negro

Marca : TP-Link

Código del producto: LS1005G

Nombre del producto : LS1005G



TP-Link LS1005G. Tipo de interruptor: No administrado. Puertos tipo básico de conmutación RJ-45 Ethernet: Gigabit Ethernet (10/100/1000), Cantidad de puertos básicos de conmutación RJ-45 Ethernet: 5. Tabla de direcciones MAC: 2000 entradas, Capacidad de conmutación: 10 Gbit/s. Estándares de red: IEEE 802.3i, IEEE 802.3u, IEEE 802.3x. Voltaje de entrada DC: 5 V. Montaje de pared



Características de administración		Control de energía	
Tipo de interruptor *	No administrado	Fuente de alimentación incluida *	✓
Puertos e Interfaces		Voltaje de entrada DC	5 V
Cantidad de puertos básicos de conmutación RJ-45 Ethernet *	5	Corriente de entrada	0.6 A
Puertos tipo básico de conmutación RJ-45 Ethernet *	Gigabit Ethernet (10/100/1000)	Consumo de energía (max)	3,7 W
Conexión		Alimentación a través de Ethernet (PoE)	
Estándares de red *	IEEE 802.3i, IEEE 802.3u, IEEE 802.3x	Energía sobre Ethernet (PoE) *	✗
Soporte 10G *	✗	Condiciones ambientales	
Soporte de control de flujo	✓	Intervalo de temperatura operativa	0 - 40 °C
Auto MDI / MDI-X	✓	Intervalo de temperatura de almacenaje	-40 - 70 °C
Auto-negociación	✓	Intervalo de humedad relativa para funcionamiento	10 - 90%
Transmisión de datos		Intervalo de humedad relativa durante almacenaje	5 - 90%
Capacidad de conmutación *	10 Gbit/s	Disipación del calor	12,617 BTU/h
Tasa de reenvío	7,4 Mpps	Peso y dimensiones	
Tabla de direcciones MAC *	2000 entradas	Ancho	90 mm
Guardar y remitir	✓	Profundidad	72 mm
Jumbo Frames, soporte	✓	Altura	23 mm
Tramas Jumbo	16000	Contenido del embalaje	
Memoria intermedia de paquetes	1,5 MB	Guía de configuración rápida	✓
Diseño		Empaquetado	
Montaje en rack *	✗	Tipo de embalaje	Caja
Color del producto	Negro	Aprobaciones reguladoras	
Material de la carcasa	Plástico	Certificación	CE, FCC, RoHS
Indicadores LED	✓		
Código IP (International Protection)	IP20, IP40		

Diseño		Datos logísticos	
Montaje de pared	✓	Código de Sistema de Armomización (SA)	85176990



0845973085469



845973085469



1210002616164



0840460603867



840460603867



1210002616157

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.